



Keep workers and products  
out of harms way.



## STRUCTURAL GUARDS



# Prevent costly accidents with Anderson's structural guards.

2

**A**n anywhere in your building that there is moving equipment, forklifts or people, there's potential for a run-in. But you can make your facility safer for your workers and visitors every minute, every shift, every day with Anderson's line of tough structural guards.



For more than 70 years,  
Anderson men and women  
have been experts  
in steel design and fabrication.

Whether its structural steel beams and columns for buildings, industry leading cantilever racking or easy to install guarding products, innovative solutions and outstanding customer service set Anderson apart from the competition. Our efficient manufacturing processes keep prices competitive and our attention to detail ensures you will get the steel products you want, when you want them. That's why our customers come back again and again.



216 Upton Drive • St. Joseph, MI 49085  
Phone: [269] 983-5543 • Fax: [269] 983-0902  
[www.abmrack.com](http://www.abmrack.com)



# END ROW AND UPRIGHT POST PROTECTORS

## END ROW PROTECTOR

Prevent rack and product damage at aisle entrances and exits.



Single-guard end row protector



Double-guard end row protector



Double-deep end row protector

A quick and economical solution to forklifts cutting too close at high traffic aisle entrances and exits, are Anderson's selection of single- and double-guard end row protectors available to accommodate most rack end widths. All sizes are available in either heavy-duty or standard-duty construction. Heavy-duty protectors come with 6" x 4" steel angle and welded 1/2" thick x 12" high steel end guards. Standard-duty protectors feature a 4" x 3" steel angle and welded 3/8" thick x 12" high steel end guards.



- Double-guard lengths: 36", 42", 44" or 48"; extension angles, custom lengths and custom guard heights available
- Left or right single-guard lengths: 36", 39", 42", 44", 45", 47", 48", 50", 51", 53", 54", 56", 57", 60"; extension angles, custom lengths and custom guard heights available
- Concrete anchors included
- Safety yellow, powder-coated finish

## UPRIGHT POST PROTECTOR

Improve pallet rack visibility and decrease forklift damage.



Protect your pallet racks from lift truck fork abuse by fitting these bright post protectors around your 3" or 4" pallet rack column.

- Made from structural steel channel and 3/8" thick base plates
- Four holes in each base plate for 1/2" concrete anchors (concrete anchors included)
- Available in the following heights: 12", 18" and 24"; custom sizes by request
- Safety yellow, powder-coated finish

If you don't see what you want here, let's talk about solutions.

216 Upton Drive • St. Joseph, MI 49085  
Phone: [269] 983-5543 • Fax: [269] 983-0902

[www.abmrack.com](http://www.abmrack.com)





# GUARD RAILS

## DOUBLE GUARD RAIL

Build one of the strongest barriers available using heavy-duty, structural steel.



Quickly add a safety barrier where you need it — in front of your cantilever and pallet racks, office doors, machinery or pedestrian walkways. Anderson's structural steel is fabricated to stand up to forklift impact. Double-rail design protects your products and work areas up to 44" high. Need a special size guard rail? *Let's talk.*



- Built to withstand 13,360 lb. impact at 4 m.p.h.
- Posts: 5" square structural steel tube with a 1/2" base plate
- Four holes per base for 3/4" concrete anchors
- Rails made from 8" structural steel channel
- Standard rail lengths: 24", 36", 48", 60", 72", 84", 96", 108" and 120"
- Custom lengths available
- Concrete anchors and rail hardware included for fast assembly
- Safety yellow, powder-coated finish



Before



After 13,360 lb. impact at 4 m.p.h.



# GUARD RAILS & MACHINE GUARDS

## SINGLE GUARD RAIL



Standard single guard rail post height is 18" with custom sizes available. *Just ask.*



- Posts: 5" square structural steel tube with a 1/2" base plate
  - Four 3/4" diameter holes per base for concrete anchors
  - Rails made from 8" structural steel channel
- Standard rail lengths: 24", 36", 48", 60", 72", 84", 96", 108" and 120"
  - Custom lengths available
  - Concrete anchors and rail hardware included
  - Safety yellow, powder-coated finish

## MACHINE GUARD

Install peace of mind to protect valuable machinery and personnel.



It takes just one wrong move with a forklift or other equipment to destroy tens of thousands of dollars of machinery or injure a worker. Barriers with Anderson's machine guards take just minutes to prevent this damage.


- Built with 5" square structural steel tubes with a 1/2" base plate
- Standard widths: 36" and 48"  
Standard heights: 12", 24", 36" and 42"
- Custom sizes available
- Safety yellow, powder-coated finish



# FLOOR MOUNT GUIDE ANGLES

## FLOOR-MOUNT GUIDE ANGLE

Minimize rack abuse.



Add these floor-mount guide angles to keep forklifts moving safely between racks.

You can also install guides to the high traffic entrance and exit of each rack aisle to make access safer and easier.




- Anderson fabricates an angle size and length for each of your floor applications.
- Typical hole spacing for 3/4" diameter concrete anchors: 12" or 24" on center
- Available as powder-coated and painted finishes



## BOLLARDS

Protect your facility from vehicle damage 24/7.



Embedded square bollard

A strategically placed bollard can save you from repairing thousands of dollars in facility damage. Easily install these super-strength steel structures inside or outside your building near overhead doors, corners or by valuable equipment. You can opt to mount to the floor or embed in concrete.



- Choose from three bollard styles:
  - **4" diameter round structural steel pipe**  
Standard heights: 24", 36", 42" and 48"  
Base plates are 1/2" thick with holes for four, 3/4" diameter concrete anchors
  - **6" diameter round structural steel pipe**  
Standard heights: 24", 36", 42" and 48"  
Base plates are 3/4" thick with holes for four, 3/4" diameter concrete anchors
  - **5" x 5" x 3/16" square structural steel tube**  
Standard heights: 24", 36", 42" and 48"  
Base plates are 1/2" thick with holes for four, 3/4" diameter concrete anchors
- Anchors included with floor-mounted design
- Custom sizes available upon request
- Safety yellow, powder-coated finish

If you don't see what you want here, let's talk about solutions.

216 Upton Drive • St. Joseph, MI 49085  
Phone: [269] 983-5543 • Fax: [269] 983-0902

[www.abmrack.com](http://www.abmrack.com)





# Working with Anderson is one of the safest decisions you can make.

Start guarding what you value most on your floor.  
For more information about our guarding products  
or how we can deliver the protection you need,  
please contact:



216 Upton Drive, St. Joseph, MI 49085  
269-983-5543(P) • 269-983-0902(F)  
info@abmrack.com • www.abmrack.com

Keeping you current on industry trends and requirements through our membership in the following:



**American Welding Society**

Supporting Company Member



**American Institute of Steel Construction**



**Central Fabricators Association**